



200 Log Canoe Circle • Stevensville • Maryland • 410-643-9001 • 800-336-6637 • 410-643-8901 (fax)

2011 PRICE LIST Edition 2 June 1

MOBILE LIFTS

Alpha designations for the mobile columns are as follows:

The first letter following model number, i.e. ST1082 FSF, always represents the wheels. F= Fixed wheels and R = Retractable wheels

The second letter following model number, i.e. ST1082 FSF, always represents the controls. S = Superior, C = Conventional, B = Battery, W=Wireless and R=Energy retrieval system

The third letter following model number, ie. ST1082 FSF, always represents the forks. F= Fixed forks and A = Adjustable forks

Model Number		Description	List Price	WCSA Price
ST1060, ST1065 & ST1073 MODELS:				
ST-1060-2FCF	NON STOCK	Set of 4 - 52,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, with conventional control panel Maximum configuration for the FCF model is a set of 4 columns	\$33,802	\$25,352
ST-1060-2FSF	STOCK	Set of 4 - 52,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$35,248	\$26,436
ST-1060-2FWF	NON STOCK	Set of 4 - 52,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$49,760	\$37,320
ST-1065-2FXV	NON STOCK	Set of 4 - 60,000lbs capacity, 208 to 460 volts, 3 phase, extra wide forks to lift construction vehicles	\$50,884	\$38,163
ST-1073-2FCF	NON STOCK	Set of 4 - 64,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, with conventional control panel Maximum configuration for the FCF model is a set of 4 columns	\$33,802	\$25,352
ST-1073-2FSF	STOCK	Set of 4 - 64,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$35,248	\$26,436
ST-1073-2FWF	NON STOCK	Set of 4 - 64,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$49,760	\$37,320
ST1082 WITH SYNTHETIC FIXED FRONT WHEELS :				
ST-1082-2E	NON STOCK	Set of 4 - 72,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, conventional control panel, Maximum configuration for the E models is a set of 4 columns	\$36,320	\$25,787
ST-1082-1FSF	STOCK	Set of 2 - 36,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks.	\$19,435	\$13,799
ST-1082-2FSF	STOCK	Set of 4 - 72,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks.	\$37,760	\$26,810
ST-1082-3FSF	STOCK	Set of 6 - 108,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks.	\$56,077	\$39,815
ST1082 WITH SYNTHETIC FIXED FRONT WHEELS :				
ST-1082-1FSA	STOCK	Set of 2 - 36,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Adj forks.	\$20,720	\$14,711
ST-1082-2FSA	STOCK	Set of 4 - 72,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Adj forks.	\$40,334	\$28,637
ST-1082-3FSA	STOCK	Set of 6 - 108,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Adj forks.	\$59,936	\$42,555
ST1082 WITH RETRACTABLE WHEELS:				
ST-1082-1RSF	NON STOCK	Set of 2 - 36,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$21,428	\$15,214
ST-1082-2RSF	NON STOCK	Set of 4 - 72,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$41,751	\$29,643
ST-1082-3RSF	NON STOCK	Set of 6 - 108,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$62,063	\$44,065
ST-1082-1RSA	STOCK	Set of 2 - 36,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Adj forks	\$22,716	\$16,128
ST-1082-2RSA	STOCK	Set of 4 - 72,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Adj forks	\$44,326	\$31,471
ST-1082-3RSA	STOCK	Set of 6 - 108,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Adj forks	\$65,924	\$46,806

MOBILE LIFTS

Model Number	Description	List Price	WSCA Price
ST1082 BATTERY MODELS:			
ST-1082-2FBF	STOCK Set of 4 - 72,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$44,202	\$31,383
ST-1082-2FBA	STOCK Set of 4 - 72,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column. Adj forks	\$46,775	\$33,210
ST1082 BATTERY MODELS:			
ST-1082-2RBF	NON STOCK Set of 4 - 72,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Fxd forks	\$48,193	\$34,217
ST-1082-2RBA	STOCK Set of 4 - 72,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Adj forks	\$50,766	\$36,044
ST1082 WIRELESS MODELS:			
ST-1082-2FWF	STOCK Set of 4 - 72,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$52,540	\$37,303
ST-1082-2FWA	STOCK Set of 4 - 72,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column. Adj forks	\$55,336	\$39,289
ST-1082-2RWF	NON STOCK Set of 4 - 72,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Fxd forks	\$56,766	\$40,304
ST-1082-2RWA	STOCK Set of 4 - 72,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Adj forks	\$59,527	\$42,264
ST1082 EARTHLIFT™ MODELS:			
ST-1082-2FRF	Set of 4 - 72,000lbs capacity, ALI/ETL, 24 volts DC, control box on every column	\$55,140	\$39,149
ST-1082-2FRA	Set of 4 - 72,000lbs capacity, ALI/ETL, 24 volts DC, control box on every column. Adj forks	\$57,936	\$41,135
ST-1082-2RRF	Set of 4 - 72,000lbs capacity, ALI/ETL, 24 volts DC, control box on every column, retract. wheels. Fxd forks	\$59,366	\$42,150
ST-1082-2RRA	Set of 4 - 72,000lbs capacity, ALI/ETL, 24 volts DC, control box on every column, retract. wheels. Adj forks	\$62,127	\$44,110
ST1100 WITH SYNTHETIC FIXED FRONT WHEELS :			
ST-1100-1FSF	NON STOCK Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks.	\$20,363	\$14,458
ST-1100-2FSF	NON STOCK Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks.	\$39,615	\$28,127
ST-1100-3FSF	NON STOCK Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks.	\$58,866	\$41,795
ST1100 WITH RETRACTABLE WHEELS:			
ST-1100-1RSF	NON STOCK Set of 2 - 44,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$22,761	\$16,160
ST-1100-2RSF	NON STOCK Set of 4 - 88,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$44,362	\$31,497
ST-1100-3RSF	NON STOCK Set of 6 - 132,000lbs capacity, 208 to 460 volts, 3 phase, ALI/ETL, control box on every column. Fxd forks	\$65,960	\$46,832
ST1100 BATTERY MODELS:			
ST-1100-2FBF	NON STOCK Set of 4 - 88,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$46,177	\$32,786
ST-1100-2RBF	NON STOCK Set of 4 - 88,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Fxd forks	\$51,824	\$36,795
ST1100 WIRELESS MODELS:			
ST-1100-2FWF	NON STOCK Set of 4 - 88,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column	\$54,516	\$38,706
ST-1100-2RWF	NON STOCK Set of 4 - 88,000lbs capacity, 24 volts DC, ALI/ETL, control box on every column, retract. wheels. Fxd forks	\$59,764	\$42,432

Reducer sleeves can be added as an accessory on all ST-1060, ST-1065, ST-1073, ST-1082, ST-1100 models

ACCESSORIES FOR MOBILE LIFTS

Model Number	Description	List Price	WSCA Price
SKTJ-401	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height	\$9,526	\$6,763
SKTJ-402	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height	\$9,236	\$6,558
SKWD-500	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height	\$8,661	\$6,149
SKWD-500-74	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 74" lifting height	\$10,190	\$7,235
SKWD-501	Counter balanced High Lift Wheel Dolly (CBHLWD) with chain guard, 850lb. Capacity, 52" lifting height	\$11,690	\$8,300
SKTJ-401 Batt.	Heavy duty transmission jack, table 26"X16", 3,500lbs capacity, (38X52 Base), 74" lifting height	\$10,385	\$7,373
SKTJ-402 Batt.	Heavy duty transmission jack, table 20"X14", 3,500lbs capacity, (34X48 Base), 74" lifting height	\$10,089	\$7,163
SKWD-500 Batt.	High Lift Wheel Dolly (HLWD) with chain guard, 1,000lbs. Capacity, 52" lifting height	\$10,125	\$7,189
SKWD-501 Batt	Counter balanced High Lift Wheel Dolly (CBHLWD), 850lb. Capacity, 52" lifting height	\$13,362	\$9,487
G-BDA	Adaptor for standard wheel drums HLWD	\$504	\$358
G-APR	Adaptor for forklift wheels HLWD	\$705	\$501
G-AD	Differential adaptor for transmission jack	\$1,411	\$1,002

ACCESSORIES FOR MOBILE LIFTS

Model Number	Description	List Price	WSCA Price
G-NAA	Narrow isle adapter for forklifts, for use with mobile columns 1060 through 1100, not for use with extra wide forks	\$8,174	\$5,804
RPJ-3.31	Rolling Pit Jack, Capacity 31,000 lbs	\$13,863	\$9,843
RPJ-3.31 GP	Gear Plate	\$2,740	\$1,945
RPJ-3.31 AT	Axle Traverse	\$2,283	\$1,621
ST10 Single Phase	220V Single Phase power option per column when ordered from factory.	\$502	\$356
ST575V	575 voltage power option per column when ordered from factory.	\$502	\$356
Upgrade control box	Primary control box exchange (upgrade from secondary control box)	\$1,344	\$954
59001040	Powerbox 220V, remote power box fits any secondary column	\$2,426	\$1,722
59001041	Powerbox 460V, , remote power box fits any secondary column	\$2,426	\$1,722
ADJ ST1082	Adjustable forks ST 1082, extra price per column only when ordered with ST 1082	\$726	\$515
DROVER 12M	Drive over 12 meter cable for all mobile columns, extra price per column when ordered with lifts	\$402	\$285
DROVER 21.5M	Drive over 21.5 meter cable for all mobile columns, extra price per column when ordered with lifts	\$507	\$360
NONDROVER 21.5M	NON drive over 21.5 meter cable for all mobile columns, extra price per column when ordered with lifts	\$177	\$126
XWF1082	Extra wide fork option for ST1082 FSF, FBF, FWF, wheel diameter up to R24.5/63". Price per column.	\$2,006	\$1,424
XWF1100	Extra wide fork option for ST1100 FSF, FBF, FWF, wheel diameter up to R24.5/63". Price per column.	\$2,006	\$1,424
34200940	Weight Gauge for ST1060. Price per column. Price includes part only.	\$684	\$486
34400940	Weight Gauge for ST1073. Price per column. Price includes part only.	\$684	\$486
32709120	Weight Gauge for ST1082. Price per column. Price includes part only.	\$684	\$486
	Weight Gauge installation. Price per column. Price includes labor only.	\$105	\$75
34400915	Set baseframe and fork extension with lock for ST1073 & ST1082 & ST1100, per column, max capacity 12,000 lbs. per column	\$871	\$618
32503050	Reducer plate for ST1055 & ST1072 (Only sold for use on these models)	\$302	\$214
32700920	Reducer plate with lock (right side) for ST1060 & ST1082 F (L= 350 mm/14")	\$342	\$243
32700925	Reducer plate with lock (left side) for ST1060 & ST1082 F (L= 350 mm/14")	\$342	\$243
34400920	Reducer plate with lock (right side) for ST1073 & ST1100 (L= 300 mm/12")	\$342	\$243
34400925	Reducer plate with lock (left side) for ST1073 & ST1100 (L= 300 mm/12")	\$342	\$243
34200930	Reducer plate with lock (right side) for fork extension ST1060 (L=500 mm/20"), cap. 4.0 tons/8,800 lbs	\$430	\$305
34200935	Reducer plate with lock (left side) for fork extension ST1060 (L=500 mm/20"), cap. 4.0 tons/8,800 lbs	\$430	\$305
34400930	Reducer plate with lock (right side) for fork extension ST1073, ST1082 & ST1100 (L=500 mm/20"), cap. 5.5 tons/12,000 lbs	\$485	\$344
34400935	Reducer plate with lock (left side) for fork extension ST1073, ST1082 & ST1100 (L=500 mm/20"), cap. 5.5 tons/12,000 lbs	\$485	\$344
<i>Warning: Longer reducer plates may only be used in combination with arm extensions! See attached label on longer reducer plates for maximum usable capacity.</i>			
32790205	Reducer Sleeve for ST 1065 price each	\$435	\$309
32790210	Large Wheel Adapter ST1065 - capacity 15,000 lbs, can handle tires up to 85" diameter and 29.5" width, price each	\$1,654	\$1,174
32803100	Reducer Sleeve for ST 1175 price each	\$469	\$333
32592000	Traverse beam with king-pin adaptor, capacity 16,000 lbs, ALI certified	\$3,803	\$2,700
32591500	Traverse beam with lifting supports, capacity 32,000 lbs., ALI certified	\$3,803	\$2,700
32591050	Low profile cross beam with supports - capacity 33,000 lbs, ALI certified	\$3,913	\$2,778
32591150	Low profile cross beam with supports, for 130 mm wider fork - capacity 33,000 lbs	\$5,490	\$3,898
32591100	Low profile cross beam - capacity 18,800 lbs	\$3,913	\$2,778
32593000	4-wheel forklift adapter kit (10 pieces)	\$5,600	\$3,976
32593100	3-wheel forklift adapter kit (12 pieces)	\$6,978	\$4,954
32593030	Lifting piece for forklift kit (2 required per kit), price each	\$692	\$491
WEB 36-120ST	Wheel Engaging Beam / Snow Plow Adapter, capacity 36,000 lbs, 120" max width between columns (NOT ALI certified)	\$5,018	\$3,563

ACCESSORIES FOR MOBILE LIFTS

Model Number	Description	List Price	WSCA Price
18-9138A-05-F	LT-15-ST Fixed Fork Front/Rear Adapter	\$3,822	\$2,714
18-9138A-05	LT-15-ST Adjustable Fork Front/Rear Adapter	\$3,822	\$2,714
32559050	Lighting kit per column for ST 1060, ST1065, ST 1073, ST 1082 and ST1175 - 230V (2 pcs), per column	\$1,582	\$1,123
	Lighting kit only suitable for Superior control		
	Labor for installation of lighting kit per column	\$320	\$227
32739101	ID-Key for battery & wireless lifts	\$95	\$67
34007930	Remote Control for ST 1060 FCF & ST 1073 FCF & ST 1082 E, Not UL Approved, 32' 10" cable	\$1,632	\$1,159
34007940	Remote Control for ST 1060 FCF & ST 1073 FCF & ST 1082 E, UL Approved, 32' 10" cable	\$2,966	\$2,106
32557930	Remote Control for ST 1060 FSF & ST 1073 FSF & ST 1082 F&R & ST 1175, Not UL Approved, 32' 10" cable	\$1,521	\$1,080
32557940	Remote Control for ST 1060 FSF & ST 1073 FSF & ST 1082 F&R & ST 1175, UL Approved, 32' 10" cable	\$2,966	\$2,106
59000890	Pelican Adaptor	\$4,873	\$3,460
59001080	Automotive Adapter (Hummer), cap. 15,000 lbs, (2 pieces), ALI certified	\$6,074	\$4,313
59001330	Automotive Adapter (Hummer) Extra wide fork application, cap. 15,000 lbs, (2 pieces)	\$6,493	\$4,610

MID RISE MOBILE COLUMN LIFTS

Model Number	Description	List Price	WSCA Price
SK-MR-24-P	24,000 lb. Columns set of 2 - air-powered	\$13,753	\$9,765
SK-MR-24-E	24,000 lb. Columns set of 2 - battery operated	\$15,531	\$11,027
SK-MR-40-P	40,000 lb. Columns set of 2 - air-powered	\$15,057	\$10,690
SK-MR-40-E	40,000 lb. Columns set of 2 - battery operated	\$16,954	\$12,037
Bumper Units	Bumper Units per set of 2	\$894	\$635

SUPPORT STANDS BY CAPACITY AND ADJUSTMENT HEIGHT

Model Number	Description	List Price	WCSA Price
JS-L12	Capacity 26,500 lbs, Low, 3 locking positions, Range 14"-22", flat adapter	\$296	\$210
JS-M8	Capacity 18,000 lbs, Medium, Foldable, 7 locking positions, Range 30"-51" & 33"-54" with fine adjustment, weight 95 lbs	\$884	\$628
JS-M12	Capacity 26,500 lbs, Medium, Foldable, 7 locking positions, Range 30"-51" & 33"-54" with fine adjustment, weight 121 lbs	\$957	\$679
JS-H8	Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80" & 53"-83" with fine adjustment, weight 130 lbs	\$1,050	\$746
JS-H12	Capacity 26,500 lbs, High, Foldable, 10 positions, Range 50"-80" & 53"-83" with fine adjustment, weight 176 lbs	\$1,373	\$975
39225980	Foldable stand storage bracket (one per stand) <i>JS-M8, JS-M12, JS-H8 & JS-H12 comes with flat adapter, U-shape adapter, V-shape adapter, fine adjustment, springloaded wheels (set of 3) and spring for inner tube as standard.</i>	\$125	\$89
JS-H8-DZ	NEW! Capacity 18,000 lbs, High, Foldable, 10 locking positions, Range 50"-80", weight 130 lbs <i>JS-H8-DZ comes with flat adapter, springloaded wheels (set of 3) and spring for inner tube as standard.</i>	\$840	\$596
	Options for the JS-H8-DZ:		
39225960	NEW! Fine adjustment, adds 3" to minimum and maximum height range	\$120	\$85
39225940	NEW! U-shaped adapter	\$76	\$54
39225950	NEW! V-shaped adapter	\$76	\$54
SKCP 1220-10	10 tons, no handle or wheels; 12"-20"; with pin stop	\$281	\$200
SKCP 1830-10	10 tons, no handle or wheels; 18"-30"; with pin stop	\$333	\$236
SKCP 2644-10	10 tons, no handle or wheels; 26"-44"; with pin stop	\$447	\$317
SKCP 3658-08	8 tons, spring loaded, wheels, pin stop, 1 head, 36"-58"	\$1,030	\$731
SKCP 5278-09	9 tons, spring loaded, wheels, pin stop, 1 head, 52"-78" NEW!! (Replaced SKCP 5278-08)	\$1,030	\$731
SKCV 1828-10	10 ton, no handle or wheels, 18"-28", fine adjustment	\$811	\$576
SKCV 5480-07	7 tons with handle & wheels, 54"-80", fine adjustment	\$1,321	\$938
SKCVP 3658-18	18 tons, w/handle & wheels; spring loaded; pin stop w/36"-58" fine adjustment	\$1,360	\$966
SKCVP 5480-18	18 tons, w/handle & wheels; spring loaded; pin stop w/54"-80" fine adjustment	\$1,390	\$987
SKCVP 5484-30	30 tons, w/handle & wheels; spring loaded; pin stop w/54"-84" fine adjustment	\$5,190	\$3,685
SKMH 3658-12	12 tons, w/handle & wheels; spring loaded, pin stop w/36"-58" fine adjustment; 2 heads	\$1,360	\$966
SKMH 5480-12	12 tons, w/handle & wheels; spring loaded, pin stop w/54"-80" fine adjustment; 2 heads	\$1,390	\$987
G-STD-0050	Each additional head, please specify head required	\$135	\$96
SK BXIW 3H To be discontinued	11.5 ton, 3-headed spring loaded support stand, height 51" - 75" (incl. 3 pick-up fittings, spring and fine adjustment)	\$1,373	\$975
39200000	20 ton, 3-headed spring loaded support stand, height 51" - 75" (incl. 3 pick-up fittings, spring and fine adjustment)	\$3,442	\$2,444

TWO-POST LIFTS

Model Number	Description	List Price	WCSA Price
	TWO POST ABOVE GROUND LIFTS		
SK 2070AB	Two-post 16,000lbs capacity baseless lift with single telescoping arms	\$18,636	\$13,232
SK 2070A	Two-post 16,000lbs capacity baseless lift with double telescoping arms	\$19,837	\$14,084
SK 2082AB	Two-post 18,000lbs capacity baseless lift with single telescoping arms	\$22,026	\$15,638

ACCESSORIES FOR TWO-POST LIFTS

Model Number	Description	List Price	WSCA Price
370-09-250	NEW! Fluorescent lighting set with four 24V - IP67 tube lights	\$1,246	\$885
37009030	Installation kit column connections through concrete floor	\$926	\$657
370-07-900	Additional control box for SK 2070 and SK 2082	\$1,940	\$1,377
37003945	Prisma adapter for Sprinter/Crafter, rear side	\$144	\$102
37003955	Prisma adapter for Sprinter/Crafter, front side	\$126	\$89
2 Post Single Phase	Single phase power per control box for SK 2070 and SK 2082 (SK2082 220 VAC 1ph is not ALI certified)	\$762	\$541
4310.09.06.00	U-shaped steel pick-up pad (1 piece)	\$88	\$62
4310.09.05.00	V-shaped steel pick-up pad (1 piece)	\$93	\$66
4310.09.04.00	Flat steel pick-up pad (1 piece)	\$72	\$51
370.99.013	Anchor kit for SK 2070 and SK 2082	\$292	\$207

HEAVY DUTY 4-POST LIFTS

Model Number	Description	List Price	WSCA Price
ST 4120-4	Four post 30,000lbs capacity, 15 ft runway	\$30,533	\$21,678
ST 4120-6	Four post 30,000lbs capacity, 20 ft runway	\$32,741	\$23,246
ST 4120-8	Four post 30,000lbs capacity, 26 ft runway	\$34,824	\$24,725
ST 4175-6	Four post 38,500lbs capacity, 20 ft runway, ALI/ETL certified	\$58,458	\$41,505
ST 4175-8	Four post 38,500lbs capacity, 26 ft runway, ALI/ETL certified	\$61,662	\$43,780
ST 4175-9	Four post 38,500lbs capacity, 30 ft runway, ALI/ETL certified	\$62,233	\$44,185
ST 4175-10	Four post 38,500lbs capacity, 33 ft runway, ALI/ETL certified	\$64,864	\$46,053
ST 4175-11.5	Four post 38,500lbs capacity, 38 ft runway, ALI/ETL certified	\$68,754	\$48,815
ST 4175-6+6	Eight post 77,000lbs capacity, 40 ft runway, ALI/ETL certified	\$116,917	\$83,011
ST 4175-6+8	Eight post 77,000lbs capacity, 46 ft runway, ALI/ETL certified	\$120,120	\$85,285
ST 4175-6+9	Eight post 77,000lbs capacity, 50 ft runway, ALI/ETL certified	\$120,692	\$85,691
ST 4175-8+8	Eight post 77,000lbs capacity, 52 ft runway, ALI/ETL certified	\$123,324	\$87,560
ST 4175-6+10	Eight post 77,000lbs capacity, 53 ft runway, ALI/ETL certified	\$123,324	\$87,560
ST 4175-8+9	Eight post 77,000lbs capacity, 56 ft runway, ALI/ETL certified	\$123,895	\$87,965
ST 4175-6+11.5	Eight post 77,000lbs capacity, 58 ft runway, ALI/ETL certified	\$127,212	\$90,321
ST 4175-8+10	Eight post 77,000lbs capacity, 59 ft runway, ALI/ETL certified	\$126,526	\$89,833
ST 4175-9+9	Eight post 77,000lbs capacity, 60 ft runway, ALI/ETL certified	\$124,467	\$88,372
ST 4175-9+10	Eight post 77,000lbs capacity, 63 ft runway, ALI/ETL certified	\$127,098	\$90,240
ST 4175-8+11.5	Eight post 77,000lbs capacity, 64 ft runway, ALI/ETL certified	\$130,416	\$92,595
ST 4175-10+10	Eight post 77,000lbs capacity, 66 ft runway, ALI/ETL certified	\$129,730	\$92,108
ST 4175-9+11.5	Eight post 77,000lbs capacity, 68 ft runway, ALI/ETL certified	\$130,988	\$93,001
ST 4175-10+11.5	Eight post 77,000lbs capacity, 71 ft runway, ALI/ETL certified	\$133,619	\$94,869
ST 4175-11.5+11.5	Eight post 77,000lbs capacity, 76 ft runway, ALI/ETL certified	\$137,509	\$97,631
41509040	Synchronization set needed to make any Eight Post version of ST 4175 above, bridge part 3' 4"	\$10,285	\$7,302
41509030	Synchronization set needed to make any Eight Post version of ST 4175 above, bridge part 4' 11"	\$12,561	\$8,918
ST 4250-6	Four post 54,000lbs capacity, 20 ft runway, ALI/ETL certified	\$88,706	\$62,981
ST 4250-8	Four post 54,000lbs capacity, 26 ft runway, ALI/ETL certified	\$94,346	\$66,986
ST 4250-9	Four post 54,000lbs capacity, 30 ft runway, ALI/ETL certified	\$97,171	\$68,991
ST 4250-10	Four post 54,000lbs capacity, 33 ft runway, ALI/ETL certified	\$100,352	\$71,250
ST 4250-11.5	Four post 54,000lbs capacity, 38 ft runway, ALI/ETL certified	\$105,134	\$74,645
ST 4250-6+6	Eight post 108,000lbs capacity, 40 ft runway, ALI/ETL certified	\$177,412	\$125,963
ST 4250-6+8	Eight post 108,000lbs capacity, 46 ft runway, ALI/ETL certified	\$183,051	\$129,966
ST 4250-6+9	Eight post 108,000lbs capacity, 50 ft runway, ALI/ETL certified	\$185,877	\$131,973
ST 4250-8+9	Eight post 108,000lbs capacity, 56 ft runway, ALI/ETL certified	\$191,517	\$135,977

HEAVY DUTY 4-POST LIFTS

Model Number	Description	List Price	WSCA Price
ST 4250-9+9	Eight post 108,000lbs capacity, 60 ft runway, ALI/ETL certified	\$194,343	\$137,984
ST 4250-10+10	Eight post 108,000lbs capacity, 66 ft runway, ALI/ETL certified	\$200,703	\$142,499
ST 4250-10+11.5	Eight post 108,000lbs capacity, 71 ft runway, ALI/ETL certified	\$205,485	\$145,894
ST 4250-11.5+11.5	Eight post 108,000lbs capacity, 76 ft runway, ALI/ETL certified	\$210,267	\$149,290
42509030	Synchronization set needed to make any Eight Post version of ST 4250 above, brigde part 3' 4"	\$10,285	\$7,302
42519040	Synchronization set needed to make any Eight Post version of ST 4250 above, brigde part 4' 11"	\$12,561	\$8,918
All lifts available in 208 to 460VAC, 3-phase, 575V or 1-phase (extra charge)			

ACCESSORIES FOR 4-POST LIFTS

Model Number	Description	List Price	WSCA Price
ST4120 Series			
41209020	Hinged transition plates, length 16.1" (2 pcs)	\$1,446	\$1,027
OPVL15165	Hinged transition plates, length 16.1" (2 pcs), instead of standard ramps	\$1,487	\$1,056
41209030	Standard drive on/off ramps, length 38" (2 pcs); ST4120	\$2,508	\$1,781
41209100	Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (not in combination with long drive-on/off ramps)	\$4,950	\$3,515
41209200	Special third platform for 3 wheel forklift, platform length 49", capacity 2 tons (only in combination with long drive-on/off ramps)	\$5,502	\$3,906
41209010	Set long drive on/off ramps, length 63"	\$4,366	\$3,100
OPVL16165	Extended length access ramps, instead of standard ramps	\$1,082	\$768
43599013	Anchor kit for ST 4055, ST 4070 and ST 4120	\$232	\$165
	Air kit - See accessories for SKYLIFTS		
	Lights - See accessories for SKYLIFTS		
	Anti skid, ALU diamond plate - See accessories for SKYLIFTS		
ST4175 and ST4250 Series			
41509010	Set standard drive on/off ramps ST4175, length 44" (2 pcs)	\$2,635	\$1,871
41509050	Extended length ramps ST4175, length 66" (2 pcs)	\$3,715	\$2,638
OPVL16170	Extended length ramps ST4175, length 66" (2 pcs), instead of standard ramps	\$447	\$317
41509060	Extended length ramps ST4175, length 92" (2 pcs)	\$6,406	\$4,548
OPVL16171	Extended length ramps ST4175, length 92" (2 pcs), instead of standard ramps	\$3,650	\$2,592
42509020	Hinged transition plates ST4175/ST4250, length 20" (2 pcs)	\$1,764	\$1,252
OPVL15170	Hinged transition plates ST4175/ST4250, instead of standard ramps	-\$634	-\$450
42509010	Set standard drive on/off ramps ST4250, length 65" (2 pcs) for 33 and 38 foot runways	\$2,833	\$2,011
42519010	Set standard drive on/off ramps ST4250, length 55" (2 pcs) for 20, 26 and 30 foot runways	\$2,734	\$1,941
42509050	Extended length ramps ST4250, length 104" (2 pcs) for 33 and 38 foot runways	\$3,453	\$2,452
OPVL16181	Extended length ramps ST4250, length 104" (2 pcs) for 33 and 38 foot runways, instead of standard ramps	\$556	\$395
42519050	Extended length ramps ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways	\$3,351	\$2,379
OPVL16180	Extended length ramps ST4250, length 85" (2pcs) for 20, 26 and 30 foot runways, instead of standard ramps	\$385	\$273
OPVL09170	Second control box for ST4175	\$3,373	\$2,395
OPVL09180	Second control box for ST4250	\$3,373	\$2,395
41599013	Set chemical anchors and shims for ST 4175	\$463	\$329
42599013	Set chemical anchors and shims for ST 4250	\$562	\$399
Options for Wash bay version ST4250			
59000832	NEW! Covers on top of columns to protect the potentiometer from dirt and moisture	\$1,240	\$880
59001138	NEW! Connecting cylinders directly to tank / breather cap (to stop dirt and moisture coming into cylindeer)	\$1,240	\$880
59001137	NEW! Watertight Cable glands at bottom of controlbox (glands on top will be sealed)	\$1,370	\$973
59001165	NEW! Special guidepiece with grease nipples (to stop rust on rolleraxle)	\$5,220	\$3,706
On request	NEW! Special coatings on platforms (3 layers: zinc primer, epoxy, polyurethane)	\$6,870	\$4,878
	Air kit - See accessories for SKYLIFTS		
	Lights - See accessories for SKYLIFTS		
	Anti skid, ALU diamond plate - See accessories for SKYLIFTS		

HEAVY DUTY SKYLIFT

Model Number	Description	List Price	WSCA Price
Surface mounted version:		<i>Surface mounted version is equipped with a set multifunctional flexible approach ramps 77" + endstops.</i>	
41322000	SKY 200 - 44,000 lbs (62,400 with symmetrical load WSCAribution), platform length 23'	\$89,758	\$63,728
41323000	SKY 200 - 44,000 lbs (62,400 with symmetrical load WSCAribution), platform length 26'	\$91,866	\$65,225
41324000	SKY 200 - 44,000 lbs (62,400 with symmetrical load WSCAribution), platform length 30'	\$94,243	\$66,913
41325000	SKY 200 - 44,000 lbs (62,400 with symmetrical load WSCAribution), platform length 33'	\$96,485	\$68,504
41302000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 23'	\$97,469	\$69,203
41303000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 26'	\$99,002	\$70,291
41304000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 30'	\$101,999	\$72,419
41305000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 33'	\$103,498	\$73,484
41306000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 40'	\$110,499	\$78,454
41307000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 48'	\$118,633	\$84,229
Flush mounted version:		<i>Flush mounted version is equipped with 2 sets of hinged movable boards.</i>	
41332000	SKY 200 - 44,000 lbs (62,400 with symmetrical load WSCAribution), platform length 23'	\$86,715	\$61,568
41333000	SKY 200 - 44,000 lbs (62,400 with symmetrical load WSCAribution), platform length 26'	\$89,003	\$63,192
41334000	SKY 200 - 44,000 lbs (62,400 with symmetrical load WSCAribution), platform length 30'	\$91,177	\$64,736
41335000	SKY 200 - 44,000 lbs (62,400 with symmetrical load WSCAribution), platform length 33'	\$93,465	\$66,360
41312000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 23'	\$95,982	\$68,147
41313000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 26'	\$95,982	\$68,147
41314000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 30'	\$98,956	\$70,259
41315000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 33'	\$100,443	\$71,315
41316000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 40'	\$107,421	\$76,269
41317000	SKY 250 - 55,000 lbs (78,000 with symmetrical load WSCAribution), platform length 48'	\$115,658	\$82,117
NEW!	SKY 200 Made in USA, additional price	\$10,400	\$7,384
NEW!	SKY 250 Made in USA, additional price	\$13,900	\$9,869

ACCESSORIES FOR SKYLIFT

Model Number	Description	List Price	WSCA Price
69700060	LED lighting fixture 1230 mm / 48.4" (2 LED light engines, reflector tube and hardware)	\$572	\$406
69700070	Powerset (transformer + cable) for LED lighting for ST4120 & SKYLIFT	\$804	\$571
69700080	Powerset (transformer + cable) for LED lighting for ST4175 & ST4250	\$804	\$571
Recommended number of LED fixtures: Platform length 16' = 4 LED & 1 powerset; 26' = 8 LED & 1 powerset; 33' = 10 LED & 1 powerset; 40' = 12 LED & 1 powerset; 46' = 14 LED & 1 powerset			
42509020	Hinged transition plates, length 20" (2 pcs)	\$1,698	\$1,206
34007930	Remote control with 32' 10" cable	\$1,257	\$892
34007940	Remote control UL approved with 32' 10" cable	\$2,447	\$1,737
SKY Wash bay model	Wash bay model 23' - 48' (Galvanized runways and stainless steel control box)	\$20,835	\$14,793
OPVL29185	2 speed lowering, not in combination with synchronisation set	\$1,914	\$1,359
41300950	Synchronization set for connected versions SKYLIFT S.M., bridge part 1 m./3'4"	\$7,949	\$5,644
41300951	Synchronization set for connected versions SKYLIFT S.M., bridge part 1.5 m./4'11"	\$9,681	\$6,874
41310950	Synchronization set for connected versions SKYLIFT F.M., bridge part 1 m./3'4"	\$7,949	\$5,644
41310951	Synchronization set for connected versions SKYLIFT F.M., bridge part 1.5 m./4'11"	\$9,681	\$6,874
41301952	Synchronization set for connected versions SKYLIFT F.M., without bridge part	On request	
41312950	Set automatic recess coverplates for SKY-FM, 23' (2 pcs)	\$13,645	\$9,688
41313950	Set automatic recess coverplates for SKY-FM, 26' (2 pcs)	\$16,713	\$11,866
41314950	Set automatic recess coverplates for SKY-FM, 30' (2 pcs)	\$19,781	\$14,045
41315950	Set automatic recess coverplates for SKY-FM, 33' (2 pcs)	\$22,849	\$16,223
41316950	Set automatic recess coverplates for SKY-FM, 40' (2 pcs)	\$28,985	\$20,579
41300448	Set multifunctional flexible approach ramps 77"	\$4,495	\$3,191
41300460	One piece middle section "C" length 19.75"	\$476	\$338
41300480	One piece middle section "C" length 10"	\$383	\$272
59001658	NEW! Safety contact strip on outside of runways (1 pcs), two required per lift	\$1,570	\$1,115
OPVLRAL07	Extra price for 1 different colour	\$1,367	\$971
OPVLRAL07-2	Extra price for 2 different colours	\$2,282	\$1,620
41300990	Set chemical anchors and shims for SKYLIFT	\$706	\$501
39509105	Air installation kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 11.5' spiral hose	\$112	\$80
39509100	Air kit for ST 4120, ST 4175, ST 4250 and SKYLIFT; with 8' air pipe, brackets and one outlet	\$348	\$247
<i>Depending on the length of the platforms it is recommended to use more than one air installation kit.</i>			
66701104	Anti-skid alum. diamond plate 15 3/4" x 49 1/5", 30' lgth platform lift requires 14 plates, (Price per plate)	\$238	\$169
66701106	Anti-skid alum. diamond plate 23 3/5" x 49 1/5", 30' lgth platform lift requires 14 plates, (Price per plate)	\$282	\$200
61001022	Cleaner/assembly set for anti-skid aluminum diamond plate	\$223	\$158

BECKER INGROUND LIFTS

Model Number	Description	List Price	WSCA Price
HVZ-214 BT-RG	2 Rams; plunger piston type; with sliding cover plates (32,000 lbs per ram)	On demand	
HVZ-214/190 BT-RG	2 Rams; telescopic piston type; with sliding cover plates (32,000 lbs per ram)	On demand	
HVD-214 BT-RG	3 Rams; plunger piston type; with sliding cover plates (32,000 lbs per ram)	On demand	
HVD-214/190 BT-RG	3 Rams; telescopic piston type; with sliding cover plates (32,000 lbs per ram)	On demand	

ACCESSORIES FOR INGROUNDS

Model Number	Description	List Price	WSCA Price
HVZ 214 BT-RG-1	Saddle flush mounted head pieces; fix cylinder	On demand	
HVZ 214 BT-RG-2	Saddle flush mounted head pieces; all cylinders	On demand	
HVZ 214 BT-RG-3	PHS; Programmable height setting (up to 4 positions)	On demand	
HVZ 214 BT-RG-4	AWBP; Automatic wheelbase positioning system	On demand	
HVZ 214 BT-RG-5	GPS Ground Position switch w/red/green beacon light	On demand	
HVZ 214 BT-RG-6	DLS Dual lifting speed (normal/slow)	On demand	
HVZ 214 BT-RG-7	Frames, wheel pans and covering hot galvanized	On demand	
HVZ 214 BT-RG-8	Segment plate covering; range of movement: 100 inches	On demand	
HVZ 214 BT-RG-11	Cylinders Icosit coated	On demand	
HVZ 214 BT-RG-12	Additional support for passenger cars, painted	On demand	
HVZ 214 BT-RG-13	Additional support for passenger cars, hot galvanized	On demand	

ACCESSORIES FOR INGROUNDS

Model Number	Description	List Price	WSCA Price
HVZ 214 BT-RG-14	Liquid detection system (per ram)	On demand	
HVZ 214 BT-RG-15	Control Box Pedestal	On demand	
HVZ 214/190 BT-RG-1	Saddle flush mounted head pieces; fix cylinder	On demand	
HVZ 214/190 BT-RG-2	Saddle flush mounted head pieces; all cylinders	On demand	
HVZ 214/190 BT-RG-3	PHS; Programmable height setting (up to 4 positions)	On demand	
HVZ 214/190 BT-RG-4	AWBP; Automatic wheelbase positioning system	On demand	
HVZ 214/190 BT-RG-5	GPS Ground Position switch w/red/green beacon light	On demand	
HVZ 214/190 BT-RG-6	Liquid detection system (per ram)	On demand	
HVZ 214/190 BT-RG-7	Suction tube (per ram). Provision of material (coupling) by customer	On demand	
HVZ 214/190 BT-RG-8	DLS Dual lifting speed (normal/slow)	On demand	
HVZ 214/190 BT-RG-9	Frames, wheel pans and covering hot galvanized	On demand	
HVZ 214/190 BT-RG-12	Cassette for fix ram	On demand	
HVZ 214/190 BT-RG-13	Cassette for fix ram Icosit coated (inside/out)	On demand	
HVZ 214/190 BT-RG-14	Cassette for movable ram, range of movement 100 inches	On demand	
HVZ 214/190 BT-RG-16	Cassette for mov. Ram Icosit coated (inside/out)	On demand	
HVZ 214/190 BT-RG-17	Cylinders Icosit coated	On demand	
HVZ 214/190 BT-RG-18	Additional support for passenger cars, painted	On demand	
HVZ 214/190 BT-RG-19	Additional support for passenger cars, hot galvanized	On demand	
HVZ 214/190 BT-RG-21	Control Box Pedestal	On demand	
HVD 214 BT-RG-1	Saddle flush mounted head pieces; fix cylinder	On demand	
HVD 214 BT-RG-2	Saddle flush mounted head pieces; all cylinders	On demand	
HVD 214 BT-RG-3	PHS; Programmable height setting (up to 4 positions)	On demand	
HVD 214 BT-RG-4	AWBP; Automatic wheelbase positioning system	On demand	
HVD 214 BT-RG-5	GPS Ground Position switch w/red/green beacon light	On demand	
HVD 214 BT-RG-6	DLS Dual lifting speed (normal/slow)	On demand	
HVD 214 BT-RG-7	Frames, wheel pans and covering hot galvanized	On demand	
HVD 214 BT-RG-8	Segment plate covering; range of movement: 100 inches	On demand	
HVD 214 BT-RG-11	Cylinders Icosit coated	On demand	
HVD 214 BT-RG-12	Additional support for passenger cars, painted	On demand	
HVD 214 BT-RG-13	Additional support for passenger cars, hot galvanized	On demand	
HVD 214 BT-RG-14	Liquid detection system (per ram)	On demand	
HVD 214 BT-RG-15	Control Box Pedestal	On demand	
HVD 214/190 BT-RG-1	Saddle flush mounted head pieces; fix cylinder	On demand	
HVD 214/190 BT-RG-2	Saddle flush mounted head pieces; all cylinders	On demand	
HVD 214/190 BT-RG-3	PHS; Programmable height setting (up to 4 positions)	On demand	
HVD 214/190 BT-RG-4	AWBP; Automatic wheelbase positioning system	On demand	
HVD 214/190 BT-RG-5	GPS Ground Position switch w/red/green beacon light	On demand	
HVD 214/190 BT-RG-6	Liquid detection system (per ram)	On demand	
HVD 214/190 BT-RG-7	Suction tube (per ram). Provision of material (coupling) by customer	On demand	
HVD 214/190 BT-RG-8	DLS Dual lifting speed (normal/slow)	On demand	
HVD 214/190 BT-RG-9	Frames, wheel pans and covering hot galvanized	On demand	
HVD 214/190 BT-RG-12	Cassette for fix ram	On demand	
HVD 214/190 BT-RG-13	Cassette for fix ram Icosit coated(inside/out)	On demand	
HVD 214/190 BT-RG-14	Cassette for movable ram, range of movement 100 inches	On demand	
HVD 214/190 BT-RG-15	Segment plate covering; range of movement: 100 inches	On demand	
HVD 214/190 BT-RG-16	Cassette for mov. Ram Icosit coated	On demand	
HVD 214/190 BT-RG-17	Cylinders Icosit coated	On demand	
HVD 214/190 BT-RG-18	Additional support for passenger cars, painted	On demand	
HVD 214/190 BT-RG-19	Additional support for passenger cars, hot galvanized	On demand	
HVD 214/190 BT-RG-20	Control Box Pedestal	On demand	

ECO LIFTS

Model Number	Description	List Price	WSCA Price
ECO 60-10	60,000 lbs capacity with 10 ft. (120") travel range	\$116,665	\$82,832
ECO 60-13	60,000 lbs capacity with 13 ft. (156") travel range	\$120,960	\$85,882
ECO 60-17	60,000 lbs capacity with 17 ft. (204") travel range	\$126,350	\$89,709
P60D	Optional detachable remote pendant for ECO 60, when ordered with the lift Note: Incl. pendant, 35 ft cable, intrinsically safe barriers, connectors, hard-wired.	\$4,049	\$2,875
P60R	Replacement P60 detachable pendant with cable and plug	\$2,950	\$2,095
ECO 90-3	90,000 lbs capacity, 1 fixed and 2 movable mechanism (Price based on 10 ft travel front pit and 10 ft travel rear pit)	\$182,870	\$129,838
ECO 90-3 2F	90,000 lbs capacity, 2 fixed and 1 movable mechanism, (Price based on 10 ft travel for movable mechanism)	On demand	
ECO 90-3 3F	90,000 lbs capacity, 3 fixed and 0 movable mechanism	On demand	
EL13	Increase box length from 10 ft. to 13 ft (156") in travel range, price per box	\$4,350	\$3,089
EL17	Increase box length from 10 ft. to 17 ft (204") in travel range, price per box	\$9,715	\$6,898
P90D	Optional detachable remote pendant for ECO 90, when ordered with the lift Note: Incl. pendant, 40 ft cable, intrinsically safe barriers, connectors, hard-wired.	\$4,588	\$3,257
P90R	Replacement P90 detachable pendant with cable and plug	\$3,340	\$2,371
Standard adapters being supplied with the lift :			
A06122-00	Adapter 4" extension, price each (Standard supplied with lift : 2 with ECO 60 & 4 with ECO 90)	\$308	\$219
A08122-00	Adapter 6" extension, price each (Standard supplied with lift: 2 with ECO 60 & 2/4 with ECO 90)	\$314	\$223
A16122-00	Adapter cradle, price each (Standard supplied with lift: 2 with ECO 60 & 4 with ECO 90)	\$179	\$127
A21122-00	Adapter vertical axle 9 x 3.7", price each (Standard supplied with lift: 2 with ECO 60 & 2/4 with ECO 90)	\$342	\$243
A25122-00	Adapter low vertical 4 x 3.7", price each (Standard supplied with lift: 2 with ECO 60 & 4/2 with ECO 90)	\$324	\$230
A31122-00	Adapter flat top block 3 x 6", price each (Standard supplied with lift : 2 with ECO 60 & 4 with ECO 90)	\$307	\$218
Optional adapters:			
A09122-00	Adapter tall vertical 9 x 3.7", price each	\$345	\$245
A10110-00	Adapter SP Dart, price each	\$332	\$236
A10122-00	Adapter 7" extension, price each	\$408	\$290
A15120-00	Adapter adjustable top, price each	\$415	\$295
A17122-00	Adapter 10" wide cradle, price each	\$474	\$337
A17132-00	Adapter flat accessory (use with A17122-00), price each	\$550	\$391
A17142-00	Adapter "H" accessory (use with A17122-00), price each	\$600	\$426
A18122-00	Adapter swivel cradle, price each	\$195	\$138
A19122-00	Adapter 10" wide cradle sideways, price each	\$478	\$339
A23122-00	Adapter vertical wider axle 9 x 7.7", price each	\$457	\$324
A24122-00	Adapter vertical wider axle 9 x 6.2", price each	\$457	\$324
A27122-00	Adapter Front Orion 5.5 x 3.7", price each	\$324	\$230
A28122-00	Adapter vertical low 6.2" wide, price each	\$415	\$295
A33122-00	Adapter crown top block, price each	\$311	\$221
A35122-00	Adapter slant top block, price each	\$374	\$266
A45110-00	Adapter Rear Transit, price each	\$415	\$295
A15252-00	Adapter wide 14 x 11.77", price each	\$664	\$471
ST110-00	Adapter Cart	\$1,650	\$1,172
AS100-00	Adapter Stand	\$1,490	\$1,058

ECO LIFTS

Model Number	Description	List Price	WSCA Price
	<u>Standard Cover Plates included with lift:</u>		
	<i>Standard with lift: front extruded aluminum (hinged), front drop-in aluminum (2), rear drop-in aluminum (2), 23.5" extended rear cover plate (1), front box end section covers (2).</i>		
	Optional Cover Plates for continuous pit:		
C01103-00 - C01180-00	12" - 18" cover plate, price each	\$717	\$509
C01230-00 - C01293-00	23" - 29.75" cover plate, price each	\$936	\$665
C01305-00 - C01350-00	30.5" - 35" cover plate, price each	\$1,107	\$786
C01400-00 - C01443-00	40" - 44.75" cover plate, price each	\$1,306	\$927
CB322	Additional bridge bracket, price each	\$964	\$684
	Replacement drop-in aluminum diamond plate covers:		
2004-14-222	Front cover, price each	\$751	\$533
0413-01-222	Rear cover, price each	\$841	\$597
	Replacement Extruded aluminum front cover (hinged), price each	\$195	\$138
575 Voltage	Additional charge for 575V 3 phase, 13 amp.	\$1,665	\$1,182
ECO-EHP	External Hand Pump	\$614	\$436
	Shims (Must be ordered with the lift to ship with lift):		
03112-01	FS1 0.063" thickness, price each	\$6.10	\$4
03112-02	FS2 0.125" thickness, price each	\$6.80	\$5
03112-03	FS4 0.250" thickness, price each	\$8.10	\$6
03112-04	FS8 0.500" thickness, price each	\$10.80	\$8
Hose	Additional field installed hyd. hose over standard lgth provided (see order form), price per linear foot per hose	\$10.90	\$8

JACKING BEAMS FOR HEAVY DUTY LIFTS

Model Number	Description	List Price	WSCA Price
The JB series is standard equipped with two cylinders. On request the JB series is also available with only one cylinder.			
The JB is standard equipped with two flat adapters and two 4" extensions.			
39614100	JB-70-2 air/hydraulic, capacity 15,400 lbs, without support arms, width 33.46"-45.28"	\$8,125	\$5,769
39614110	Set support arms for Omer-Vega 120 lower rail	\$1,082	\$768
39614120	Set support arms for Omer-Vega 120 upper rail	\$1,082	\$768
39617150	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 23.23"-35"	\$8,125	\$5,769
39617100	JB-80-2 air/hydraulic, capacity 17,600 lbs, without support arms, width 33.5"-45.28"	\$8,125	\$5,769
39617010	Set support arms for ST 4120	\$1,082	\$768
39615200	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 23.23"-35"	\$8,125	\$5,769
39615100	JB-120-2 air/hydraulic, capacity 26,400 lbs, without support arms, width 33.5"-45.28"	\$8,125	\$5,769
39615010	Set support arms for ST 4175	\$1,082	\$768
39615030	Set support arms for Omer-Vega 180 lower rail	\$1,082	\$768
39615035	Set support arms for Omer-Vega 180 upper rail	\$1,082	\$768
39615020	Set support arms for SKY 200 & 250	\$1,082	\$768
39616150	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 23.23"-35"	\$9,067	\$6,438
39616100	JB-160-2 air/hydraulic, capacity 35,200 lbs, without support arms, width 33.5"-45.28"	\$9,067	\$6,438
36916010	Set support arms for ST 4250 20'/26'/30' platforms	\$1,082	\$768
39616020	Set support arms for ST 4250 33'/38' platforms	\$1,082	\$768
39616035	Set support arms for Omer-Vega 240 lower rail	\$1,082	\$768
39616040	Set support arms for Omer-Vega 240 upper rail	\$1,082	\$768
39616030	Set support arms for SKY 250	\$1,082	\$768
39618150	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 23.23"-35"	\$9,067	\$6,438
39618100	JB-200-2 air/hydraulic, capacity 44,000 lbs, without support arms, width 33.5"-45.28"	\$9,067	\$6,438
39618035	Set support arms for Omer-Vega 340, 450, 520 lower rail	\$1,082	\$768
39618040	Set support arms for Omer-Vega 340, 450, 520 upper rail	\$1,082	\$768
<u>Options for JB-70-2 / JB-80-2 / JB-120-2 / JB-160-2 / JB-200-2:</u>			
39615180	Diff. beam for JB-70-2 - JB-200-2, for lifting both rams at one point	\$799	\$567
39615130	Crossbeam adapter, capacity 33,000 lbs, adjustable 4.9" - 29.5", total length 35.51", height 5.36"	\$1,856	\$1,318
39615150	4" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$193	\$137
39615155	8" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$193	\$137
39615195	V-shape adapter, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$204	\$145
39615190	U-saddle adapter, large model, for JB-70-2 - JB-200-2, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$204	\$145
39991000	Trolley for JB-70-2 - JB-200-2	\$618	\$439
39615125	Wall bracket for storage of up to 4 adapters	\$183	\$130
39615120	Wall bracket for storage of up to 8 adapters	\$204	\$145
4311.70.91.00	Air-cleaning/greasing/reducing unit for jacking beams	\$750	\$533
	Air kit - See accessories for SKYLIFTS		

AIR-HYDRAULIC PIT JACKS

Model Number	Description	List Price	WSCA Price
39630250	PJ-100-1S, frame 23.23" - 35", single stroke, without support arms, cap. 22,000 lbs, cylinder stroke 31 1/2"	\$8,660	\$6,149
39630100	PJ-100-1W, frame 33.5" - 45.28", single stroke, without support arms, cap. 22,000 lbs, cylinder stroke 31 1/2"	\$8,660	\$6,149
39630300	PJ-150-1S, frame 23.23" - 35", single stroke, without support arms, cap. 33,000 lbs, cylinder stroke 31 1/2"	\$9,838	\$6,985
39630150	PJ-150-1W, frame 33.5" - 45.28", single stroke, without support arms, cap. 33,000 lbs, cylinder stroke 31 1/2"	\$9,838	\$6,985
39630350	PJ-200-1S, frame 23.23" - 35", single stroke, without support arms, cap. 44,000 lbs, cylinder stroke 31 1/2"	\$10,807	\$7,673
39630200	PJ-200-1W, frame 33.5" - 45.28", single stroke, without support arms, cap. 44,000 lbs, cylinder stroke 31 1/2"	\$10,807	\$7,673
39630450	PJ-100-2S, frame 23.23" - 35", double stroke, without support arms, cap. 22,000 lbs, cylinder stroke 16 1/2"	\$9,151	\$6,497
39630400	PJ-100-2W, frame 33.5" - 45.28", double stroke, without support arms, cap. 22,000 lbs, cylinder stroke 16 1/2"	\$9,151	\$6,497
39630550	PJ-150-2S, frame 23.23" - 35", double stroke, without support arms, cap. 33,000 lbs, cylinder stroke 16 1/2"	\$10,330	\$7,334
39630500	PJ-150-2W, frame 33.5" - 45.28", double stroke, without support arms, cap. 33,000 lbs, cylinder stroke 16 1/2"	\$10,330	\$7,334
39630650	PJ-200-2S, frame 23.23" - 35", double stroke, without support arms, cap. 44,000 lbs, cylinder stroke 16 1/2"	\$11,298	\$8,022
39630600	PJ-200-2W, frame 33.5" - 45.28", double stroke, without support arms, cap. 44,000 lbs, cylinder stroke 16 1/2"	\$11,298	\$8,022
The support arms have to be ordered separately from the pit jack.			
39630010	Set support arms for pit jacks (always fill out pit specification form and send with order)	\$1,082	\$768
39631100	PJF-150-1, single stroke, ground moveable, cap. 33,000 lbs, height 39.65" - 86.89", platform 33.27" x 42.72"	\$12,140	\$8,619
<i>Options for air-hydraulic pit jacks:</i>			
39630120	Support bridge, capacity 44,000 lbs, usable in combination with various adapters	\$3,561	\$2,528
39630125	Crossbeam adapter, capacity 33,000 lbs, adjustable 4.92" - 29.53", only for single stroke versions	\$1,751	\$1,243
39630130	Crossbeam adapter, capacity 33,000 lbs, adjustable 4.92" - 29.53", only for double stroke versions	\$1,751	\$1,243
39630135	Crossbeam adapter, cap. 26,400 lbs, adj. 28.54" - 48.23" w/wheel, hght 3.54", only for single stroke versions	\$4,135	\$2,936
39630140	Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs, only for single stroke versions	\$2,546	\$1,808
39630145	Integrated safety stand, capacity 44,000 lbs, only for single stroke versions	\$1,177	\$836
39615150	4" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$193	\$137
39615155	8" metal extension adapter, capacity 22,000 lbs, (1 per cylinder needed)	\$193	\$137
39615195	V-shape adapter, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$204	\$145
39615190	U-saddle adapter, large model, for JB-70-2 - JB-200-2, capacity 22,000 lbs, width 4", (1 per cylinder needed)	\$204	\$145
39991000	Trolley for JB-70-2 - JB-200-2	\$618	\$439
39615125	Wall bracket for storage of up to 4 adapters	\$183	\$130
39615120	Wall bracket for storage of up to 8 adapters	\$204	\$145

PARALLELOGRAM LIFTS

Model Number	Description	List Price	WSCA Price
VEGA 240 SERIES H.= 73"			
VEGA 240/50-CB-26-FM - Drive Off	50,000lbs capacity, 26 foot runway, continuous base, ALI/ETL certified (flush mount)	\$88,982	\$63,177
VEGA 240/50-CB-26-N - Drive Off	50,000lbs capacity, 26 foot runway, continuous base, ALI/ETL certified (surface mount)	\$90,126	\$63,989
VEGA 240/50-CB-26-FM - Drive Thru	50,000lbs capacity, 26 foot runway, continuous base, ALI/ETL certified (flush mount)	\$89,149	\$63,296
VEGA 240/50-CB-26-N - Drive Thru	50,000lbs capacity, 26 foot runway, continuous base, ALI/ETL certified (surface mount)	\$92,404	\$65,607
VEGA 240/50-OF-26-FM - Drive Thru	50,000lbs capacity, 26 foot runway, open floor, ALI/ETL certified (flush mount)	\$92,321	\$65,548
VEGA 240/50-OF-26-N - Drive Off	50,000lbs capacity, 26 foot runway, open floor, ALI/ETL certified (surface mount)	\$93,299	\$66,242
VEGA 240/50-CB-28-FM - Drive Off	50,000lbs capacity, 28 foot runway, continuous base, ALI/ETL certified (flush mount)	\$91,104	\$64,684
VEGA 240/50-CB-28-N - Drive Off	50,000lbs capacity, 28 foot runway, continuous base, ALI/ETL certified (surface mount)	\$92,248	\$65,496
VEGA 240/50-CB-28-FM - Drive Thru	50,000lbs capacity, 28 foot runway, continuous base, ALI/ETL certified (flush mount)	\$91,270	\$64,802
VEGA 240/50-CB-28-N - Drive Thru	50,000lbs capacity, 28 foot runway, continuous base, ALI/ETL certified (surface mount)	\$94,515	\$67,106
VEGA 240/50-CB-32-FM Drive Off	50,000lbs capacity, 32 foot runway, continuous base, ALI/ETL certified (flush mount)	\$104,333	\$74,076
VEGA 240/50-CB-32-N - Drive Off	50,000lbs capacity, 32 foot runway, continuous base, ALI/ETL certified (surface mount)	\$105,570	\$74,955
VEGA 240/50-CB-32-FM - Drive Thru	50,000lbs capacity, 32 foot runway, continuous base, ALI/ETL certified (flush mount)	\$104,510	\$74,202
VEGA 240/50-CB-32-N - Drive Thru	50,000lbs capacity, 32 foot runway, continuous base, ALI/ETL certified (surface mount)	\$108,035	\$76,705
VEGA 240/50-OF-32-FM - Drive Thru	50,000lbs capacity, 32 foot runway, open floor, ALI/ETL certified (flush mount)	\$107,942	\$76,639
VEGA 240/50-OF-32-N - Drive Off	50,000lbs capacity, 32 foot runway, open floor, ALI/ETL certified (surface mount)	\$109,002	\$77,391
VEGA 240/50-CB-35-FM - Drive Off	50,000lbs capacity, 35 foot runway, continuous base, ALI/ETL certified (flush mount)	\$107,806	\$76,542
VEGA 240/50-CB-35-N - Drive Off	50,000lbs capacity, 35 foot runway, continuous base, ALI/ETL certified (surface mount)	\$109,023	\$77,406
VEGA 240/50-CB-35-FM - Drive Thru	50,000lbs capacity, 35 foot runway, continuous base, ALI/ETL certified (flush mount)	\$107,983	\$76,668
VEGA 240/50-CB-35-N - Drive Thru	50,000lbs capacity, 35 foot runway, continuous base, ALI/ETL certified (surface mount)	\$111,457	\$79,134
VEGA 240/50-OF-35-FM - Drive Thru	50,000lbs capacity, 35 foot runway, open floor, ALI/ETL certified (flush mount)	\$111,384	\$79,083
VEGA 240/50-OF-35-N - Drive Off	50,000lbs capacity, 35 foot runway, open floor, ALI/ETL certified (surface mount)	\$112,424	\$79,821

PARALLELOGRAM LIFTS

Model Number	Description	List Price	WSCA Price
VEGA 240/50-CB-48-FM - Drive Thru	50,000lbs capacity, 48 foot runway, continuous, ALI/ETL certified (flush mount)	\$136,458	\$96,885
VEGA 240/50-CB-48-N - Drive Off	50,000lbs capacity, 48 foot runway, continuous base, ALI/ETL certified (surface mount)	\$137,498	\$97,624
VEGA 240/50-OF-48-FM - Drive Thru	50,000lbs capacity, 48 foot runway, open floor, ALI/ETL certified (flush mount)	\$143,332	\$101,766
VEGA 240/50-OF-48-N - Drive Off	50,000lbs capacity, 48 foot runway, open floor, ALI/ETL certified (surface mount)	\$144,373	\$102,505
VEGA 340 SERIES H.= 73"			
VEGA 340/75-CB-30-FM - Drive Off	75,000lbs capacity, 30 foot runway, continuous base, ALI/ETL certified (flush mount)	\$114,057	\$80,980
VEGA 340/75-CB-30-N - Drive Off	75,000lbs capacity, 30 foot runway, continuous base, ALI/ETL certified (surface mount)	\$115,450	\$81,970
VEGA 340/75-CB-30-FM - Drive Thru	75,000lbs capacity, 30 foot runway, continuous base, ALI/ETL certified (flush mount)	\$114,234	\$81,106
VEGA 340/75-CB-30-N - Drive Thru	75,000lbs capacity, 30 foot runway, continuous base, ALI/ETL certified (surface mount)	\$117,884	\$83,698
VEGA 340/75-OF-30-FM - Drive Thru	75,000lbs capacity, 30 foot runway, open floor, ALI/ETL certified (flush mount)	\$118,154	\$83,889
VEGA 340/75-OF-30-N - Drive Off	75,000lbs capacity, 30 foot runway, open floor, ALI/ETL certified (surface mount)	\$119,371	\$84,753
VEGA 340/75-CB-50-FM - Drive Thru	75,000lbs capacity, 50 foot runway, continuous base, 5 + 5 legs, ALI/ETL certified (flush mount)	\$147,722	\$104,883
VEGA 340/75-CB-50-N - Drive Off	75,000lbs capacity, 50 foot runway, continuous base, 5 + 5 legs, ALI/ETL certified (surface mount)	\$149,386	\$106,064
VEGA 340/75-OF-50-FM - Drive Thru	75,000lbs capacity, 50 foot runway, continuous base, 5 + 5 legs, ALI/ETL certified (flush mount)	\$154,305	\$109,557
VEGA 340/75-OF-50-N - Drive Off	75,000lbs capacity, 50 foot runway, continuous base, 5 + 5 legs, ALI/ETL certified (surface mount)	\$155,969	\$110,738
VEGA 450 SERIES H.= 73"			
VEGA 450/99-CB-42-FM - Drive Off	99,000lbs capacity, 42 foot runway, continuous base, ALI/ETL certified (flush mount)	\$146,526	\$104,033
VEGA 450/99-CB-42-N - Drive Off	99,000lbs capacity, 42 foot runway, continuous base, ALI/ETL certified (surface mount)	\$147,649	\$104,831
VEGA 450/99-CB-42-FM - Drive Thru	99,000lbs capacity, 42 foot runway, continuous base, ALI/ETL certified (flush mount)	\$146,713	\$104,166
VEGA 450/99-CB-42-N - Drive Thru	99,000lbs capacity, 42 foot runway, continuous base, ALI/ETL certified (surface mount)	\$150,270	\$106,692
VEGA 450/99-OF-42-FM - Drive Thru	99,000lbs capacity, 42 foot runway, open floor, ALI/ETL certified (flush mount)	\$153,692	\$109,121
VEGA 450/99-OF-42-N - Drive Off	99,000lbs capacity, 42 foot runway, open floor, ALI/ETL certified (surface mount)	\$153,504	\$108,988
VEGA 450/99-CB-50-FM - Drive Off	99,000lbs capacity, 50 foot runway, continuous base, ALI/ETL certified (flush mount)	\$175,042	\$124,280
VEGA 450/99-CB-50-N - Drive Off	99,000lbs capacity, 50 foot runway, continuous base, ALI/ETL certified (surface mount)	\$176,166	\$125,078
VEGA 450/99-CB-50-FM - Drive Thru	99,000lbs capacity, 50 foot runway, continuous base, ALI/ETL certified (flush mount)	\$175,230	\$124,413
VEGA 450/99-CB-50-N - Drive Thru	99,000lbs capacity, 50 foot runway, continuous base, ALI/ETL certified (surface mount)	\$178,786	\$126,938
VEGA 450/99-OF-50-FM - Drive Thru	99,000lbs capacity, 50 foot runway, open floor, ALI/ETL certified (flush mount)	\$183,934	\$130,593
VEGA 450/99-OF-50-N - Drive Off	99,000lbs capacity, 50 foot runway, open floor, ALI/ETL certified (surface mount)	\$184,870	\$131,258

ACCESSORIES FOR PARALLELOGRAM LIFTS

Model Number	Description	List Price	WSCA Price
Extended Width:			
59.350.211	45" Inner Runway Spacing	\$3,095	\$2,197
Extended Height:			
59.350.213	Vega 240 & Vega 340 - 77" Extended height	\$1,163	\$826
59.350.214	Vega 450 & Vega 520 - 77" Extended height	\$1,379	\$979
Enlarged Runways Width:			
59.350.215	Enlarged Runways Width Vega 240 - P.W.=32"	\$1,027	\$729
59.350.215 Vega 340	Enlarged Runways Width Vega 340 - P.W.=32"	\$1,231	\$874
59.350.215 Vega 340/450	Enlarged Runways Width Vega 340 & 450 . 50' - P.W.=32"	\$2,053	\$1,458
Front Recess for Turn Plates			
Front recess 240	Vega 240 Runways Front Recess for Turn Plates	\$3,610	\$2,563
Front recess 340	Vega 340 Runways Front Recess for Turn Plates	\$3,610	\$2,563
59-340-240	Vega 240 & Vega 340 Inner Safety Rails. (Complete Set)	\$5,708	\$4,053
59-340-245	Vega 450 & Vega 520 Inner Safety Rails.(Complete Set)	\$5,932	\$4,212
59.340.260	Vega 240 & Vega 340 Stainless Steel Inner Safety Rails.(Complete Set)	\$6,235	\$4,427
59.340.270	Vega 450 & Vega 520 Stainless Steel Inner Safety Rails.(Complete Set)	\$6,727	\$4,776
	Vega 240 & Vega 340 Extra cost for Stainless Steel Outer Safety Rails	\$1,045	\$742
	Vega 450 & Vega 520 Extra cost for Stainless Steel Outer Safety Rails	\$1,570	\$1,115
59.350.217	No Torsion Bar option for Vega Lift	\$11,705	\$8,311

ACCESSORIES FOR PARALLELOGRAM LIFTS

Model Number	Description	List Price	WSCA Price
59-340-250	Rolling Oil Drain Pan, 25 gallon capacity	\$616	\$437
59-360-150	24 Volt Lighting for Vega 240 & 340 (8 Lamps Kit).	\$3,416	\$2,425
59-370-150	24 Volt Lighting for Vega 450 & Vega 520 (10 Lamps Kit)	\$4,279	\$3,038
59-340-175	Zinc Coated & Waterproof Control Panel Cover for Vega Lifts	\$590	\$419
59-340-204	VEGA 240 L.= 26' - Zinc coating (Hot Galvanized). Flush Mount & Surface Mount Drive Off.	\$13,718	\$9,740
59-340-205	VEGA 240 L.= 26' - Zinc coating (Hot Galvanized). Surface Mount Drive Through.	\$14,550	\$10,331
59-340-206	VEGA 240 L.= 32' - Zinc coating (Hot Galvanized). Flush Mount & Surface Mount Drive Off.	\$16,718	\$11,870
59-340-207	VEGA 240 L.= 32' - Zinc coating (Hot Galvanized). Surface Mount Drive Through.	\$17,857	\$12,678
59-340-208	VEGA 240 L.= 35' - Zinc coating (Hot Galvanized). Flush Mount & Surface Mount Drive Off.	\$18,366	\$13,040
59-340-209	VEGA 240 L.= 35' - Zinc coating (Hot Galvanized). Surface Mount Drive Through.	\$19,479	\$13,830
59-340-210	VEGA 340 L.= 30' - Zinc coating (Hot Galvanized). Flush Mount & Surface Mount Drive Off.	\$16,006	\$11,364
59-340-211	VEGA 340 L.= 30' - Zinc coating (Hot Galvanized). Surface Mount Drive Through.	\$16,962	\$12,043
59-340-212	VEGA 450 L.= 42' - Zinc coating (Hot Galvanized). Flush Mount & Surface Mount Drive Off.	\$21,809	\$15,484
59-340-213	VEGA 450 L.= 42' - Zinc coating (Hot Galvanized). Surface Mount Drive Through.	\$22,797	\$16,186
	VEGA 340/450 L.= 50' - Zinc coating (Hot Galvanized). Flush Mount & Surface Mount Drive Off.	\$26,083	\$18,519
	VEGA 340/450 L.= 50' - Zinc coating (Hot Galvanized). Surface Mount Drive Through.	\$27,029	\$19,191
Extended Access Ramps Extra Cost:			
59-350-220	Vega 240 Low Profile Ramps L.=120". (set of 2)	\$1,503	\$1,067
59-350-221	Vega 340 - Vega 450 & Vega 520 Low Profile Ramps L.=120". (set of 2)	\$1,503	\$1,067
59-350-223	Vega 240 Low Profile Ramps L.=138". (set of 2)	\$1,747	\$1,240
59-350-224	Vega 340 - Vega 450 & Vega 520 Low Profile Ramps L.=138". (set of 2)	\$1,747	\$1,240
	Vega 240 Low Profile Ramps L.=177". (Set of 2)	\$2,746	\$1,950
	Vega 340 - Vega 450 & Vega 520 Low Profile Ramps L.=177". (Set of 2)	\$2,746	\$1,950
59-340-215	Auto pit cover plates (flush mount units) Vega 120/180/240/340/450/520	\$5,814	\$4,128
	Hot Galvanized Automatic Pit Cover Plate Kit for Vega 340	\$9,974	\$7,082
Base Plate	Stainless Steel Base Plate for Continuous Base Lifts, price per base plate	\$390	\$277
Oil Pipes & Fittings	Stainless Steel Oil Pipes & Oil Fittings up to 32' Platform length	\$2,460	\$1,747
Oil Pipes & Fittings L. 50'	Stainless Steel Oil Pipes & Oil Fittings up to 50' Platform length	\$3,853	\$2,736
Stainless Steel Screws	Structural 10.9 grade Screws Set for VEGA 340/75 with 10 Legs	\$3,790	\$2,691
Stainless Steel Pins	Pivot Pins Set for VEGA 340/75 & VEGA 450/99 with 10 Legs	\$4,690	\$3,330
59-350-225	600Vac. Motor for Vega Lifts	\$723	\$513
Remote Control	Hand Held Key Board	\$1,934	\$1,373
Lift Height Control	Height Limit Microswitch	\$411	\$292
119901	Anti-skid paint, 5 gallon. Price does not include labor to apply anti-skid on platforms.	\$942	\$669
	Anti skid, ALU diamond plate - See accessories for SKYLIFTS		
	Primer, 1 Gallon (for use on galvanized platforms before applying anti-skid paint). Price does not include labor.	\$247	\$175
59-350-227	Internal Air Kit (Set of 4 Air Fittings for Runways)	\$926	\$657
59-350-228	Audible descent alarm	\$218	\$155
Control Panel for VEGA lifts	NEMA 4 x	\$1,446	\$1,027
	Alignment turn plate cut-out for Vega 180. Must reinforce runways. Both runways included.	\$3,359	\$2,385
	Alignment turn plate cut-out for Vega 240 & 340. Reinforcement of runways not needed. Both runways included.	\$1,602	\$1,137

HYDRAULIC TRANSMISSION JACK

Model Number	Description	List Price	WSCA Price
TJ-3	Capacity 660 lbs, height 44.29" - 76.77"	\$993	\$705
TJ-6	Capacity 1,320 lbs, height 44.29" - 76.77"	\$1,142	\$811
TJ-10	Capacity 2,200 lbs, height 46.45" - 78.74"	\$1,449	\$1,029
TJ-12	Capacity 2,645 lbs, height 35.63" - 75.59"	\$3,935	\$2,794
<i><u>Options for hydraulic transmission jacks:</u></i>			
9058800	Adjustable saddle 14.17" x 14.57", capacity 600 lbs	\$489	\$347
39630140	Adjustable saddle 20.87" x 14.96", capacity 2,200 lbs (only for TJ-10 & TJ-12)	\$2,985	\$2,119
9059500	Saddle for mounting springs, fuel tanks etc.	\$71	\$50
3601400	Rubber pad for saddle	\$71	\$50

WHEEL DOLLIES

Model Number	Description	List Price	WSCA Price
WDA-500	Hydraulic, capacity 1,100 lbs, for wheel diameter 10.63" - 51.18", height 4.17" - 28.23"	\$3,627	\$2,575
WDA-1500	Mechanical, capacity 3,300 lbs, for wheel diameter 45.27" - 56.69", height 6.3" - 29.53"	\$6,635	\$4,711
39650210	Flexible heavy duty crane arm, capacity 550 lbs, for WDA-500	\$437	\$310

JACK STANDS

Model Number	Description	List Price	WSCA Price
5000N	Capacity 11,000 lbs, 5 positions, height 15.35" - 23.62"	\$238	\$169
7500N	Capacity 16,500 lbs, 6 positions, height 26.18" - 39.96"	\$478	\$339
7500NL	Capacity 16,500 lbs, 3 positions, height 11.81" - 16.93"	\$395	\$280